Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices







Fall, 1909-Spring, 1910

WHOLESALE PRICE-LIST


Kelsey's Rhododendrons Azaleas and other Strictly Hardy American Plants

Grown in the Carolina Mountains at 3,800 feet elevation

HIGHLANDS NURSERY, "Kawana," Saginaw P. O.

North Carolina

and SALEM BRANCH NURSERY, Salem, Mass.



Rhododendron catawbiense. The Highlands Nursery way of growing bushy clumps, 15 to 50 stems Photographed at our Salem Branch Nursery

TERMS

TERMS cash or satisfactory reference from unknown parties. Accounts due first of each month, unless by special arrangement. 5 at 10 rates; 50 at 100 rates; 500 at 1,000 rates.

PACKING charged at cost.

SEND FOREIGN REMITTANCES by Postal Money Order, drawn on Salem, Mass., postoffice; or by New York or Boston Exchange. An American dollar equals 4 shillings. 4 marks, or 5 francs.

CLAIMS must be made on receipt of goods. If there is any mistake or fault on our part, it will be gladly rectified. All shipments travel at consignee's risk, and transportation companies must be held liable for damage in transit.

Always address.

HARLAN P. KELSEY, Owner
Cable Address
KELMONT-SALEM
SALEM, MASS., U. S. A.

Information

HIGHLANDS NURSERY SHIPMENTS are made from Pineola. N. C., freight station, and prices in this list are made on this basis. Freight and express rates gladly quoted. Via Norfolk Steamship Lines, deliveries to northern and eastern points are quick and rates low.

SALEM BRANCH NURSERY SHIPMENTS are made from Salem direct, and our special price-list must be used in ordering. Prices are about 25 per cent higher than for similar stock at our main Highlands Nursery. A fine stock of specimen Rhododendrons, Azaleas, Conifers, etc., may be seen at Salem Branch Nursery, and deliveries to eastern points rarely take more than a day or two.

SHIPMENTS OF "COLLECTED" RHODODENDRON MAXIMUM AND KALMIAS are from our special fields in Pennsylvania and the South, depending on destination and quality of stock desired. The best clumps come from the South from high altitudes.

"COLLECTED" RHODODENDRON CATAWBIENSE AND RHO-DODENDRON PUNCTATUM come only from the South.

OUR NURSERIES ARE UNIQUE, being the first and only to grow Native American Ornamentals, and we now have the only large and complete stock of Hardy American plants in existence.

THE LOCATION OF HIGHLANDS NURSERY also is unique, an elevation of 3,800 feet insuring unquestioned hardiness.

SHIPPING BEGINS IN SEPTEMBER, when we send out large Rhododendrons, Kalmias and other evergreens, and bulbs and herbaceous plants, general stock going out in October and November and in spring from about March 1 to May 15. Give shipping instructions, unless you wish to leave it to us. We use our best judgment, but assume no risk.

OUR EXPORT SHIPMENTS reach the most remote countries in perfect condition; we have exported for over 25 years and know how to pack.

DESCRIPTIVE ILLUSTRATED CATALOGS free on request, and advice on the right way to grow Rhododendrons, Azaleas and other native plants gladly given.

HARLAN P. KELSEY, Owner

Cable Address KELMONT-SALEM

SALEM, MASS.

September and October is the time to successfully ship and plant Lilies, Trilliums and Cypripediums

SEND FOR SPECIAL BULB LIST

Trees, Shrubs and Vines

DECIDUOUS AND EVERGREEN

NOTE-C1., Denotes Clumps; S., Seedlings; Col., Collected. All other plants are transplanted and nursery-grown.

Bear in mind this is a catalog of Nursery-grown plants and not a list of plants that might be collected. Over 100 acres in nursery.

Per 10 100 1.000

Abies balsamea. 2 to 3 ft\$3 00	100	1,000
3 to 4 ft 4 00		
concolor. 1 to 2 ft	\$20 00	
douglasii. See Pseudotsuga. fraseri. 6 to 12 in	4 00	\$32 00
1 to 2 ft	8 00	60 00
2 to 3 ft 2 50		
3 to 4 ft 4 50		
Acer negundo. 2 to 4 ft	5 00	
pennsylvanicum. 1 to 2 ft	$\frac{6}{12} \frac{60}{00}$	
3 to 4 ft	16 00	
4 to 5 ft 3 00	24 00	
saccharum. 6 to 12 in	1 50 3 00	10 00 18 00
1 to 2 ft	4 00	30 00
3 to 4 ft	6 00	
4 to 6 ft	. 8 00	
6 to 8 ft	16 00 4 00	
1 to 2 ft	6 00	48 00
2 to 3 ft 1 50	12 00	
Adelia acuminata. 2 to 3 ft 3 00		
AEsculus octandra. 1 to 2 ft	3 00	
2 to 4 ft 75	6 00	
Alnus alnobetula (viridis). 2 to 3 ft	6 00	
3 to 4 ft	8 00	
4 to 6 ft	15 (0 24 00	
rugosa (serrulata). 3 to 4 ft	12 00	
4 to 6 ft	15 00	
6 to 8 ft 4 00	30 00	
Amelanchier botryapium. 6 to 12 in 50	4 00	
1 to 2 ft	6 00 8 00	
3 to 4 ft	12 00	
4 to 6 ft 2 00	15 00	
canadensis. 2 to 3 ft		
Amorpha fruticosa. 1 to 2 ft	3 00	
2 to 3 ft	4 00	
Andromeda arborea. See Oxydendrum.		
catesbaei. See Leucothoe.	40.00	
floribunda. 6 to 12 in	48 00 80 0 0	
18 to 24 in. Cl	120 00	
ligustrina. See Xolisma.		
mariana. See Pieris.	12 00	
racemosa. 12 to 18 in	8 00	
Aralia spinosa. 2 to 3 ft. 1 00 3 to 4 ft. 1 25	10 00	
Aristolochia sipho. 6 to 12 in	6 00	50 00
1 to 2 ft	10 00	00 00
Aronia (Pyrus) arbutifolia. 6 to 12 in 75	6 00	
1 to 2 ft 1 25	10 00	
erythrocarpa. Dwarf. 2 to 3 ft	12 00	
3 to 4 ft		
2 to 3 ft 3 00		
melanocarpa. 1 to 2 ft. 2 00 2 to 3 ft. 3 00		
nigra. 1 to 2 ft	5 00	40 00
nigra. 1 to 2 ft. 75 2 to 3 ft. 1 25 3 to 4 ft. Gl. 2 50	10 00	
	20 00	
Ascyrum hypericoides. 6 to 12 in. Cl 2 00		

TREES, SHRUBS AND VINES, cont	nec	d	
	i nue er 10		1,000
6 to 12 in	1 50	\$12 00	\$95 00
12 to 18 in	2 00	05 00	160 00
18 to 24 in. 2 to 3 ft. 12 to 18 in. Cl. 18 to 24 in. Cl. 2 to 3 ft. Cl. 3 to 4 ft. Cl. 3 to 4 ft. Cl. 4 canescens. 12 to 18 in.	8 00	65 00	
12 to 18 in. Cl	6 00	50 00	
2 to 3 ft. Cl.	2 00 25 00	100 00 200 00	
3 to 4 ft. Cl	0 00	325 00	
calendulacea. See A. lutea.	2 50	20 00	
lutea (calendulacea). Great Flame Azalea.			
6 to 12 in	1 00	8 00	100.00
12 to 18 in	1 75 2 50		130 00 160 00
2 to 3 ft	4 00	35 00	300 00
3 to 4 ft	7 50 2 75		
12 to 18 in. Cl. 18 to 24 in. Cl. 2 to 3 ft. Cl.	4 50	40 00	350 00
2 to 3 ft. Cl	8 00		
3 to 4 ft. Cl. 4 to 5 ft. Cl. \$3 to nudiflora. 6 to 12 in \$3 to	17 50 6 00		
nudiflora. 6 to 12 in	1 00		
12 to 18 in	1 50 2 50	12 00 20 00	
2 to 3 ft	4 00	30 00	
2 to 3 ft. 12 to 18 in. Cl.	3 00		
18 to 24 in. Cl	4 50 6 50		
3 to 3½ ft. Cl	10 00		
vaseyi. 6 to 12 in	1 75 2 50		
18 to 24 in. 2 to 2½ ft	4 50		
2 to 2½ ft	9 00		
12 to 18 in. Cl. 18 to 24 in. Cl. viscosa. 6 to 12 in.	5 00 8 00		
viscosa. 6 to 12 in	1 00	8 00	
12 to 18 in	1 25 2 50		
6 to 12 in. Cl.	1 50		
12 to 18 in. Cl. 18 to 24 in. Cl.	3 00		
Baccharis halimifolia. 2 to 3 ft.	7 00		
Benzoin (Lindera) benzoin. 2 to 3 ft	1 50		
3 to 4 ft	2 00		
3 to 4 ft	4 00		
Berberis aquifolium. 3 to 6 in	2 50 1 00		
thunbergii. 1 to 2 ft.	1 50		
	3 00		00.00
vulgaris. 6 to 12 in 1 to 2 ft 2 to 3 ft	50 75		32 00
2 to 3 ft	1 23	10 00	
Betula alba. 3 to 4 ft	1 25		
4 to 6 ft	2 00		
2 to 4 ft	75	6 00	
4 to 6 ft. 6 to 8 ft.	1 25		
8 to 10 ft	4 00	2 00	
lutea. 2 to 4 ft	75 1 25		
4 to 6 ft	2 00		100 00
6 to 8 ft. 8 to 10 ft. papyrifera. 2 to 3 ft.	3 50		20 0 00
3 to 5 ft	75 1 25		
Butneria (calycanthus) fertilis. 1 to 2 ft	75		
Butneria (calycanthus) fertilis. 1 to 2 ft	1 00		
3 to 4 ft. Cl	2 00		40 00
2 to 3 ft, Cl	1 50	10 00	75 00
3 to 4 ft. Cl	2 00		40.00
Bignonia crucigera. 6 to 12 in	75	6 00	48 00
Cacti. Hardy species as below— Cactus missouriensis, Echinocactus			
Simpsonii. Echinocereus viridiflorus.			
Opuntia arenaria, O. camanchia, O. major, O. mesacantha cymochilla, O.			
mesacantha greenii, O. polyacantha Echinocactus "Perpetual Snow"	3 00	25 00	
	5 00	,	
Calycanthus. See Butneria.			

TREES, SHRUBS AND VINES, continued	I	
Per 10	100	1,000
Carpinus caroliniana (americana). 1 to 2 ft \$0 50	\$4 00	
2 to 3 ft	6 00 10 00	\$80 00
4 to 6 ft 1 75	14 00	100 00
6 to 8 ft. 2 50 Castanea pumila, Chinkapin. 6 to 12 in. S. 50 12 to 18 in. S. 1 00 6 to 12 in. 1 50	20 00	150 00
Castanea pumila, Chinkapin. 6 to 12 in. S 50	4 00	30 00
12 to 18 in. S	8 00	60 0 0
6 to 12 in	12 00	
Catalpa speciosa. 2 to 3 ft 50	4 00	
Catalpa speciosa. 2 to 3 ft. 50 3 to 4 ft. 60	5 00	
4 to 6 ft 75	6 00	
Ceanothus americanus. 6 to 12 in	6 00	
Cebatha carolina. 4 to 12 in 75	6 00	
Celastrus punctata. 6 to 12 in. S	4 00	39 00
1 to 2 ft	6 00 8 00	
2 to 3 ft	5 00	
1 to 2 ft 75	6 00	
Cephalanthus occidentalis. 1 to 2 ft 1 00	8 00	
2 to 3 ft	12 00	
3 to 4 ft	16 00	
Cerasum (Prunus) virginicum. 4 to 6 ft 1 00	8 00	
Cercis canadensis. 6 to 12 in	4 00 6 00	
1 to 2 ft	6 00	
12 to 18 in. Cl	12 00	
18 to 24 in. Cl	20 00	
Chamaecyparis sphaeroidea. 1 to 2 ft 1 50		
Chionanthus virginica. 1 to 2 ft 1 00	8 00	64 00
2 to 3 ft 1 75	14 00	110 00
3 to 4 ft	18 00 36 00	
Clethra acuminata. 1 to 2 ft	6 00	
2 10 3 16	8 00	
3 to 4 ft	14 00	
4 to 6 ft. 2 50 alnifolia. 1 to 2 ft. Cl. 1 50	20 00 12 00	
2 to 3 ft. Cl	20 00	
2 to 3 ft. Cl. 2 50 3 to 4 ft. Cl. 6 00	50 00	
Cliftonia ligustrina. 1 to 2 ft 6 00		
Comptonia peregrina (asplenifolia). 1 to 2 ft. 75	6 00	
Cornus alternifolia. 1 to 2 ft	4 00	
2 to 3 ft	8 00 6 00	
3 to 4 ft	10 00	
4 to 6 ft	12 00	
paniculata. 2 to 3 ft	10 00	
2 to 3 ft 1 25	10 00	
5 to 4 it		
siberica. 3 to 4 ft		
stolonifera. 1 to 2 ft		
Corylus americana. 1 to 2 ft. Cl	6 0 0 9 00	
2 to 3 ft. Cl. 1 25 rostrata. 6 to 12 in. 50	4 00	
1 to 2 ft	6 00	
2 to 3 ft	10 00	
Crataegus coccinea. 1 to 2 ft 1 00	8 00 10 00	
2 1 4 64	14 00	
crus-galli. 1 to 2 ft	8 00	
2 to 3 ft	12 00	
3 to 4 ft	16 00 2 50	20 00
crus-galli. 1 to 2 ft. 1 00 2 to 3 ft. 1 50 3 to 4 ft. 2 00 punctata. 6 to 12 in. S. 30 1 to 2 ft. 5 2 to 3 ft. 75 3 to 4 ft. 1 00 1 to 2 ft. 75 3 to 4 ft. 1 00 1 to 2 ft. 75 3 to 4 ft. 75 3 to 4 ft. 75 7 to 2 ft. 75	4 00	30 00
2 to 3 ft. S	6 00	45 00
3 to 4 ft. S 1 00	8 00	
1 to 2 ft	6 00 8 00	
1 to 2 ft	14 00	
4 to 5 ft 3 00	24 00	
Cupressus arizonica. 1 to 2 ft. S 3 50	28 00	
2 to 2½ ft. S 5 00		
Decodon (Nesaea) verticillatus. Light 1 25	10 00	
Dendrium (Leiophyllum) buxifolium.	0.65	
6 to 12 in	6 00 12 00	
12 to 18 in 1 50	12 00	

TREES, SHRUBS AND VINES, continued		
Dendrium prostratum. 3 to 6 in. Cl. Per 10 6 to 9 in. Cl. 2 00	\$12 00 16 00	1,000
Diervilla diervilla (trifida), 6 to 12 in 1 00	8 00 12 00	
2 to 18 in	8 00	
2 to 3 ft. 2 00 Diospyros virginiana. 6 to 12 in. 75 1 to 2 tt. 1 25	6 00 10 00	
Euonymus americanus. 2 to 3 ft	12 00	
3 to 4 ft		
radicans. 4 to 12 in. 1 00 Fraxinus Americana. 1 to 2 ft,	8 00 4 00	
3 to 4 ft. 1 00	8 00	
4 to 6 ft	10 00	400.00
lanceolata (viridis). 2 to 4 ft	4 00 10 00	\$30 00 80 00
6 to 8 ft 1 75	14 00	
oregona. 1 to 2 ft. 2 50 2 to 3 ft 3 50		
quadrangulata. 1 to 2 ft		
Gaylussacia resinosa. 1 to 2 ft	10 00	
ursina. 1 to 2 ft	20 00	
Halesia. See Mohrodendron. Hamamelis virginica. 1 to 2 ft	8 00	
Hamamelis virginica. 1 to 2 ft 1 00 2 to 3 ft 1 50	12 00	
3 to 4 ft	16 00	
4 to 6 ft	24 00	40 00
Hydrangea arborescens. 6 to 12 in	5 00 8 00	40 00
1 to 2 ft	12 00	
2 to 3 ft		
1 to 2 ft		
Hypericum aureum. 1 to 2 ft	8 00	
2 to 3 it 1 30	12 00	
3 to 4 ft	16 00 4 00	30 00
2 to 3 ft	6 00	50 00
2 to 3 ft	8 00	
2 to 3 ft	12 00	
3 to 4 ft 2 00		
Ilex decidua. 6 to 12 in	6 00 10 00	
2 to 3 ft	14 00	
monticola. 1 to 2 ft. 75 2 to 3 ft. 1 00	6 00 8 00	
3 to 4 ft	12 00	
4 to 6 ft		
6 to 8 ft	12 00	
12 to 18 in, 2 00	16 00	
18 to 24 in	30 00 48 00	
2 to 3 ft. 6 00 3 to 4 ft. 10 00 verticillata. 1 to 2 ft. 1 00		
verticillata. 1 to 2 ft. 1 00 2 to 3 ft. 1 75	8 .00 15 00	
2 to 3 ft. 1 75 2 to 3 ft. Cl. 2 50	20 00	
Itea virginica. 6 to 12 in	6 00	
1 to 2 ft. 1 25 2 to 3 ft. 1 75	10 00	
Jamesia americana. 6 to 12 in		
Juniperus sabina. 6 to 12 in	8 00	
virginiana. 3 to 4 ft 3 50		
Kalmia angustifolia. 6 to 12 in. Cl 2 00	16 00 24 00	
latifolia. Mountain Laurel-	24 00	
Nursery-grown. 3 to 6 in 40	3 00	20 00
6 to 9 in	5 00 8 00	35 00 60 00
12 to 18 in	12 50	100 00
18 to 24 in	25 00 40 00	200 00
Collected Plants 3 to 6 in	1 50	15 00
6 to 9 in	2 50 4 00	20 00 30 00
12 to 18 in	7 00	50 00
18 to 24 in	10 00	80 00

TREES, SHRUBS AND VINES, continued

TREES, SHRUBS AND VINES, continue	d	
Per 10	100	1,000
12 to 18 in	\$25 00 40 00	
19 to 24 in 9 50	70 00	
2 to 3 ft	140 00	****
2 to 3 ft	30 00 45 00	\$225 00 400 00
	70 00	600 00
Larix laricina (americana). 3 to 4 ft	20 00	
4 to 6 ft. 3 00 6 to 8 ft. 4 00		
Ledum groenlandicum. 12 to 18 in	12 00	
Leiophyllum. See Dendrium.	12 00	
Leucothoe (Andromeda) catesbaei.		
Bushy Plants. 6 to 12 in	6 00	50 00
12 to 18 in	10 00	80 00
18 to 24 in	16 00 3 50	25 00
12 to 18 in 1 00	6 00	50 00
18 to 24 in	9 00	70 00
Clumps. 6 to 12 in	18 00 24 00	140 00 190 00
18 to 24 in 3 50	30 00	
Collected Clumps. 6 to 12 in	15 00	75 00
12 to 18 in	12 00 20 00	100 00 175 00
recurva. 6 to 12 in	6 00	-10 00
1 to 2 ft 1 25	10 00	
Ligustrum ibota. 1 to 2 ft	3 00 6 00	25 00 45 00
2 to 3 ft	8 00	45 00
regelianum. 1 to 2 ft 50	3 00	25 00
2 to 3 ft	6 00 10 00	45 00
Lindera. See Benzoin.	10 00	
Liquidambar styraciflua. 3 to 4 ft 1 50	10 00	
4 to 6 ft	10 00	
6 to 8 ft		
Liriodendron tulipifera. 2 to 3 ft 1 00	8 00	
3 to 4 ft	10 00 14 00	
6 to 8 ft	14 00	
Lonicera dioica. 2 to 3 ft	8 00	
3 to 5 ft	10 00	20.00
japonica, var. halliana. Light	4 00 6 00	30 00 50 00
sempervirens. 6 to 12 in	8 00	
1 to 2 ft 1 50	12 00	
Magnolia acuminata. 1 to 2 ft. S	4 00 6 00	
frageri 1 to 2 ft 1 00	8 00	
2 to 3 ft 1 50	12 00	
2 to 3 ft. 1 50 3 to 4 ft. 2 00 4 to 6 ft. 2 50	16 00 20 00	
6 to 8 ft	20 00	
glauca thompsoniana. 1 to 2 ft 2 00	16 00	
2 to 3 ft	12 00	
2 to 3 ft 2 00		
3 to 4 ft 2 50	20 00	
Malus (Pyrus) coronaria. 1 to 2 ft 2 00 2 to 3 ft	16 00	
2 to 3 ft	8 00	
1 to 2 ft. Cl	16 00	
1 to 2 ft. Cl. 2 00 2 to 3 ft. Cl. 3 00	24 00	
Mohrodendron carolinum (Halesia tetrap-	10 00	
tera). 1 to 2 ft. 1.25 2 to 3 ft. 1.75	10 00 14 00	
3 to 4 ft	20 00	
Myrica cerifera. 6 to 12 in	6 00	48 00
12 to 18 in	12 00	
Nesaea. See Decodon.		
Nyssa multiflora. 6 to 12 in		
2 to 2½ ft 4 50		
Ostrya virginica. 1 to 2 ft	8 00	
2 to 3 ft	12 00	
3 to 4 ft 2 00		

TREES, SHRUBS AND VINES, contin	nuec	1	
Pe	r 10	10	0 1,000
Oxydendrum (Andromeda) arboreum.	75	\$6 (00 \$48 00
6 to 12 in 1	00	8 (12 (00 65 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	00	16 (
3 to 3½ ft	00		
Parthenocissus (Ampelopsis) engelmanni. 2-year 3-year	75	6 0	
virginica. Strong	. 25 75	10 (6 (
witages Strong	95	10 (00
Picea canadensis (alba). 6 to 12 in	90	$\frac{80}{120}$	0
1 to 2 ft	50 75	20 C	0
2 to 3 ft	50	12 0	0
2 to 3 ft. 1 3 to 4 ft. 2 pungens (seedlings). 12 to 18 in. 4	50 00	20 0 30 0	
$egin{array}{cccccccccccccccccccccccccccccccccccc$	00	45 0	0
Pieris floribunda. See Andromeda. mariana. 1 to 2 ft. Cl. 2	00		
mariana. 1 to 2 ft. Cl	00 50	16 0	0
Pinus banksiana. 8 to 10 ft 6		40 0	0
divaricata. 4 to 12 in. S	50 75	4 0 6 0	0 30 00
6 to 12 in 1	00	8 0	0 60 00
$egin{array}{cccccccccccccccccccccccccccccccccccc$	50 00	$\frac{12}{16} \frac{0}{0}$	
Hexilis. 6 to 12 m	50 00		
mitis. 1 to 2 ft 2	50		
	50 00	8 0	0
2 to 3 ft	50 00	12 00 16 00	90 00
4 to 6 ft	50	28 00)
rigida. 6 to 12 in. 1 1 to 2 ft. 1 strobus. 6 to 12 in. 1 2 to 2 ft. 1	00 50	8 00 12 00	
strobus. 6 to 12 in	00	8 0 16 0	0 60 00
3 to 4 ft 3	50	28 00)
4 to 6 ft. 6 to 8 ft. 15	50 00	50 00 100 00	
Prunus bessevi. 1 to 2 ft	00		
2 to 3 ft	00 50	8 00 12 00	
pumila. 1 to 2 ft. 1 2 to 3 ft. 1 Pseudosuse taxifolia (Abias dovelasii)	00	8 00 12 00	
Pseudotsuga taxifolia (Abies douglasii).	.,0	12 00	
6 to 12 in	75 75	6 00	
2 to 2½ ft 2		20 00	
Ptelia trifoliata. 2 to 3 ft	50 70	4 00 5 00	
4 to 6 ft		8 00	
Pyrus americana. See Sorbus.			
Pyrus americana. See Sorbus. arbutifolia. See Aronia. coronaria. See Malus. nigra. See Aronia.			
Quereus alba 6 to 19 in	75	6 -00	
1 to 2 ft	00	8 00	
coccinea. 3 to 4 ft	00 75	14 00	
	50 90	$\frac{28}{40} \frac{00}{00}$	200 00
laurifolia. 6 to 12 in	00		
	50 50		
palustris. 3 to 4 ft	50 50	12 00 20 00	
6 to 8 ft	0	28 00	
	00		
3 to 4 ft	00 10	16 0 0	
4 to 6 ft		30 00	
6 to 8 ft			
3 to 4 ft	0		

TREES, SHRUBS AND VINES, continued

RHODODENDRON CATAWBIENSE

This is not the common imported "seedling Catawbiense" so-called, which is a half-hardy hybrid with little true Catawbiense blood in it. The true Catawbiense grows only in the high southern Alleghenies and is the finest of all Rhododendrons considering its extreme hardiness and remarkable texture of foliage—a deep shiny green, far superior to Maximum.

to Maximum.

For massing there is no hardy broad-leaved evergreen equal to it for the northern United States. It is a free-bloomer, with large, bright red-purple trusses, in marked contrast to the blue-purple of the half-hardy hybrid noted before All plants are bushy with balls (except collected seedlings) and clumps have diameter corresponding to height with many stems, and are mostly heavily budded. The larger clumps for center of mass-planting should not be feathered to the ground for best effects, but have thick bushy tops. Special selections are charged for extra and we can supply perfect specimens for any situation.

and we can supply perfect specimens for any situation.

Rhododendrons are the basis of any successful mass planting for winter effects. If you don't know how to advise your customers so they may grow them successfully as common shrubs, write us. **There is a secret**, and 24 years' experience in growing ericaceous plants enables us to "tell how." Our stock cannot be duplicated elsewhere in quantity or quality. Freight rates from southern points are reduced and we gladly quote you to any point, and give the information you want about "car-lots."

Rhododendron catawbiense.	Pe	r 10	1	100	1,	000
Nursery-grown, Bushy Plants. 3 to 6 in	\$0	50	\$4	00	\$30	00
6 to 9 in	1	00	- 8	00	65	00
9 to 12 in	1	50	12	00	95	00
12 to 18 in	2	25		00	160	00
18 to 24 in		50	28	00		
Collected Plants, 3 to 6 in		40	2	00	15	00
6 to 9 in		75	5	00	40	00
9 to 12 in	1	00	7	00	60	00
12 to 18 in			10	00	85	00
Nursery-grown Clumps. 6 to 9 in			20	00		
9 to 12 in			30	00		
12 to 18 in				00	480	00
18 to 24 in			100		900	
2 to 3 ft					1250	00
3 to 4 ft	35	00	300			
4 to 5 ft	45	00 a				
Collected Clumps. 9 to 12 in,			20		180	
12 to 18 in				00	325	
18 to 24 in				00	450	
2 to 3 ft			90		800	
3 to 4 ft					1700	00
4 to 5 ft	40	00	3 50	00		
maximum. Nursery-grown, Bushy Plants.		40				
3 to 6 in		40		50	20	
6 to 9 in		60		50	30	
9 to 12 in		00	.7		60	
12 to 18 in		50		50		
18 to 24 in			20		180	00
2 to 3 ft		00	40			
Collected Single Plants. 3 to 6 in		- 0	1		15	
6 to 9 in		50		50	20	
9 to 12 in		75 00		00	35	
12 to 18 in		50			50	
Name of the state		50	10 30		90	UU
Nursery-grown Clumps. 9 to 12 in 12 to 18 in	5		45			
18 to 24 in			70			
2 to 3 ft			115			
3 to 4 ft	30	00	110	UU		
Collected Clumps, 12 to 18 in	3	50	30	nn	240	nn
18 to 24 in		00	45		400	
2 to 3 ft			70		600	
3 to 4 ft			140		1000	
4 to 5 ft	30	00	200			
5 to 6 ft			400			
punctatum. Nursery-grown Plants.						
6 to 9 in	1	25	10	00		
9 to 12 in		00	15			
12 to 18 in		00	25	00		
18 to 24 in	5	00	40	00		
Nursery-grown Clumps. 12 to 18 in			60	00		
12 to 24 in	15	00	120			
2 to 3 ft			240	00		
3 to 4 ft						
vaseyi. See Azalea vaseyi.						
Rhodora canadensis. 6 to 12 in	2	00				
Rhodotypus kerrioides. 6 to 12 in		50	4	00		
enouotypus kerrioides. 6 to 12 ill		.,0	4	00		

R

TREES, SHRUBS AND VINES, continue	d	
Rhus aromatica. 6 to 12 in	100 \$12 00	1,000
12 to 18 in 2 50 copallina. 6 to 12 in 75	20 00	
1 to 2 ft 1 95	.6 00 10 00	
2 to 3 ft	14 00	
hirta. 1 to 2 ft	8 00 12 00	
trilobata. 3 to 6 in. S 3 00	12 00	
Ribes cynosbati. 1 to 2 ft	8 00 8 00	
1 to 2 ft 1 50	12 00	
rotundifolia. 2 to 3 ft	6 00	
2 to 3 ft 1 00	8 00 12 00	
1 to 2 ft 2 50	20 00	
rosea. 6 to 12 in 1 25 viscosa. 2 to 3 ft 1 50	10 00	
3 to 4 ft		
1 00 2 10 2 00	. 0. 00	
1 to 2 ft 1 25	8 00 10 00	
carolina. 6 to 12 in	4 00 6 00	\$30 00 48 00
2 to 2½ ft	8 00 6 00	
12 to 18 in	10 00	
lucida. 12 to 18 in. 1 25 2 to 3 ft 2 00	10 00	
nitida. 6 to 12 in	8 00	
nutkana. 6 to 12 in		
pesocarpa. 1 to 2 ft	6 00	
2 to 3 ft	10 00 8 00	60 00
Woodsh. 6 to 12 in		
Rubus canadensis. Strong. 50 cuneifolius. 12 to 18 in	4 00	30 00
dumetorum. 1 to 2 ft. 2 50 laciniatus. 1 to 2 ft. 2 00		
odoratus. 6 to 12 in	4 00	30 00
Rubus canadensis Strong 50 cuneifolius 12 to 18 in 1 50 dumetorum 1 to 2 ft 2 50 laciniatus 1 to 2 ft 2 50 odoratus 6 to 12 in 50 1 to 2 ft 75 2 to 3 ft 75 spacetabilis 6 to 12 in 2 00 consequence 2 00	6 00	50 00
	16 00 3 00	18 00
pubens (racemosa). 1 to 2 ft 1 00	8 00	10 00
2 to 3 ft		
3 to 4 ft	28 00 40 00	
Sorbus (Pyrus) americana. 1 to 2 ft	6 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	10 00 16 00	
	24 00	
2 to 3 ft	8 00	
3 to 4 ft,	4 00	
3 to 4 ft. Cl. 1 00 4 to 5 ft. Cl. 2 00	8 00 16 00	
tomentosa. 1 to 2 ft 1 00	8 00	
2 to 2½ ft	12 00 8 00	
	0 0.	
Sterculia plantanifolia. 1 to 2 ft. 1 50 2 to 4 ft. 2 50		
Stuartia pentagyna 6 to 12 in 1 00 1 to 2 ft 2 00	8 00 16 00	
2 to 3 ft	28 00	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	40 00 80 00	
Symphoricarpus racemosus. 6 to 12 in 50	4 00 6 00	
symphoricarpus (vulgaris). 1 to 2 ft 75	6 00	
Tecoma (Bignonia) grandiflora. Strong 2 50	8 00	
radicans. 6 to 12 in 75	6 00	

TREES, SHRUBS AND VINES, continued Per 10	100	1,000
Thuja occidentalis. 1 to 2 ft\$0 50	\$4 00	\$30 00
2 to 3 ft	8 00 12 00	60 00 90 00
4 to 6 ft	20 00	160 00
6 to 8 ft. 4 00	30 00	
Tilia heterophylla. 3 to 4 ft. 2 00 4 to 6 ft. 3 00		
Tsuga canadensis, Hemlock, 6 to 12 in 75	6 00	45 00
12 to 18 in. 1 00 18 to 24 in. 2 00	8 00 16 00	65 00 140 00
2 to 3 ft. 3 50 3 to 4 ft. 6 00 4 to 5 ft. 10 00	28 00	250 0 0
3 to 4 ft	5 0 00 80 00	450 00 700 00
5 to 6 ft	120 00	100 00
6 to 7 ft	200 00	
	40 00	
2 to 3 ft	100 00 200 00	
4 to 5 ft	320 00	
5 to 6 ft	600 00	
2 to 3 ft	10 00	
	18 00	
12 to 18 in. Cl	$\frac{32}{12} \frac{00}{00}$	
hirsutum. 6 to 12 in 2 50	12 00	
12 to 18 in	6 00	45 00
pallidum. 6 to 12 in	8 00	45 00
12 to 18 in. Cl	16 00	
stamineum. 6 to 12 in	10 00 8 00	
12 to 18 in	10 00	
erythrocarpon. 1 to 2 ft	24 00	
Viburnum acerifolium. 1 to 2 ft	6 00	
2 to 3 ft	$\frac{12}{14} \frac{00}{00}$	
2 to 3 ft. Cl	16 00	
2 to 3 ft	14 00 24 00	
3 to 4 1t, 4 00		
cassinoides. 6 to 12 in	6 00 12 00	50 0 0 95 0 0
2 to 3 ft	14 00	99 00
	16 00 24 00	
3 to 4 ft. Cl	30 00	
4 to 6 ft. Cl	55 00 6 00	
1 to 2 ft 1 00	8 00	
2 to 3 ft	12 00 16 00	
	10 00	
molle . 2 to 3 ft	28 00	
nudum. 1 to 2 ft	28 00	
oxycoccus (opulus). 2 to 3 ft	12 00	
3 to 4 ft	16 00	
4 to 6 ft. 4 00 prunifolium. 1 to 2 ft. 2 00 2 to 3 ft. 4 00	16 00	
2 to 3 ft 4 00		
Vitis aestivalis. 6 to 12 in 1 00 1 to 2 ft 1 50	8 00	
cordifolia. 6 to 12 in	8 00	
1 to 2 ft		
labrusca. 1 to 2 ft	8 00	
2 to 3 ft	12 00	
Wistaria frutescens. 1 to 2 ft 1 00		
2 to 3 ft	4 00	30 00
6 to 12 in	5 00	40 00
6 to 12 in	6 00 8 00	45 00 60 00
6 to 12 in. Cl	12 00	95 00
Xolisma ligustrina. 1 to 2 ft 1 00	8 00	
1 to 2 ft. Cl	12 00	

HARDY HERBACEOUS PERENNIALS

Including Vines, Ferns, Aquatics, Orchids, Lilies and Bulbous Plants

	er 10	100	1,000
Aconitum reclinatum		AF 00	
uncinatum	75 75	\$5 00	
Acorus calamus		6 00	
Actaea alba rubra		16 00	
Adiantum pedatum. Strong Cl		8 00	
Allium cernuum. Strong		0 00	
tricoccum			
Amsonia amsonia. Cl	75	6 00	
Angelica curtisii	50	4 00	
Aquilegia canadensis. Cl	75	6 00	
chrysantha. 1-yr. Strong. S	1 00	8 00	
Aralia nudicaulis	50	4 00	
quinquefolia. See Panax.		0.00	
racemosa. Strong Cl	75	6 00	
Archangelica hirsuta	75	6 00	
Arisaema triphyllum	75 2 00	6 00	
Aruncus (Spiraea) aruncus	75	6 00	
Asclepias tuberosa		8 00	
Aspidium. See Dryopteris.	1 00	0.00	
Asplenium filix-foemina. Strong	75	6 00	
thelypteroides	75	6 00	
Aster, in variety, -cordifolius, curtisii, divar-			
icata, ericoides pilosa, macrophylla,			
puniceus, umbellatus porterii	75	4 00	\$30 00
Astilbe decandra	75	5 00	
Athyrium thelypteroides. Strong	75	6 00	
	1 00	8 00	
tinctoria. Strong	75	6 00	
Bicuculla (Dicentra) canadensis	75	5 00	
cucullaria	75	5 00	
	1 00	8 00	
Botrychium virginicum	75	5 00	
Calapogon. See Limodorum.			
	1 25	10 00	
• • • • • • • • • • • • • • • • • • • •	1 00	8 00	
Campanula divaricata. Harebell. Clumps		8 00	
Carex fraseri. Clumps	50	8 00 4 00	
Caulophyllum thalictroides. Col.			
Chamaelirium luteum	75 75	5 00 6 00	
Chelone glabra and lyoni. Clumps	75	6 00	
Chrysamphora (Darlingtonia) californica		0 00	
Chrosperma muscaetoxicum	50	4 00	
Cicuta maculata	50	4 00	
Cimicifuga americana	75	6 00	
racemosa	60	5 00	
	2 50		
	2 00	- 00	
virginiana. Strong	75	5 00 s	12-\$18
Clintonia borealis and umbellata	60	5 00	WIO
Collinsonia canadensis. Strong	60	5 00	
Convallaria majalis	50	4 00	
Coreopsis lanceolata. Clumps	60	5 00	
major. Clumps	75	6 00	
roseus. Clumps	60	5 00	35 00
verticillata	60	5 00	90.00
Strong 1	50 00	3 00 8 00	20 00 50 00

HARDY HERBAGEOUS PERENNIALS, continued

I	er 10	100	1,000
Cypripedium californicum	\$2 00	\$15 00	
californicum. Small Clumps	$\frac{5}{2} \frac{00}{00}$	35 00 15 00	
fasiculatumhirsutum. Light	50	3 50	\$25 00
Strong	1 00	8 00	60 00
montanumparviflorum	1 25 1 00	10 00 8 00	
reginae (spectabile). 1 to 2 crowns	2 00	15 00	
3 to 4 crowns	4 00	35 00	
5 to 6 crowns	7 00 9 00	55 00 75 00	
Clumps with over 8 crowns 15c. per crown			
Darlingtonia. See Chrysamphora.			
Dicksonia punctilobula. Clumps	75	5 00	35 - 00
Dionaea muscipula. Venus Fly-trap	1 00	6 00	
Dioscorea villosa. Strong	75	5 00	
Diphylleia cymosa	1 00	8 00	
Disporum lanuginosum	1 00	8 00	
Dryopteris acrostichoides	75 1.50	5 00	35 00
angustifolia goldiana. Strong	1 00	8 00	
marginalis	75	5 00	35 0 0
novaboracensisspinulosa	1 00 75	8 00 5 00	35 00
Dryopteris thelypteris	1 00	8 00	
Epigaea repens. Trailing Arbutus. Est. Cl	2 00	15 00	
Col Cl	75	5 00	40 00
Erythronium albidum	1 00	6 00	
americanum	50 50	2 00	12 50 15 00
californicumcalifornicum, White Beauty	50	2 50	20 00
citrinum	60	2 50	20 00
grandiflorumhartweggii	60 50	$\frac{2}{2} \frac{50}{00}$	20 00 15 00
hendersonii	75	3 00	25 00
hendersonii revolutum. White, tinged purple Mixed Varieties	80 50	3 50 2 00	30 00 12 00
	75	5 00	12 00
Eupatorium ageratoides and perfoliatum purpureum. Clumps	1 00	8 00	
Euphorbia corollata	75	6 00	
Ferns. See Adiantum, Asplenium, Athy-			
rium Botrychium, Dicksonia, Dryopteris,Onoclea,Osmunda,			
Phegopteris Polypodium, Pteris, Woodwardia.			
Galax aphylla. Est. Cl. Col. Cl	1 00 75	8 00 5 00	60 00 30 00
Gaultheria procumbens. Col. Cl	75	5 00	30 00
Gillenia. See Porteranthus.			
Glechoma (Nepeta) hederacea. Col	50	4 00	20 00
Gentiana andrewsii. Light	50	3 00	20 00
Strong	60	4 50	35 00
Geranium fremontii. 1 yr., strongmaculatum	2 00 50	4 00	25 00
Geum radiatum	1 00	8 00	
Goodyeara. See Peramium.			
Habenaria ciliaris	75	6 00	45 00
psycodes	1 00	8 00	
Helenium autumale. Col. Cl	60	4 00	30 00
Helianthus strumosus	50	4 00	30 00
Helonias bullata	50	4 00	30 0 0
Hepatica acuta	75 75	5 00 5 00	
Hibiscus, crimson-eye, moscheutos, rose-	10	5 00	
pink	75	5 00	
mixed	50	4 00	0= 00
Houstonia purpurea and serpyllifolia. Col	50 75	4 00	25 00
Hydrastis canadensis. Golden Seal	75 50	6 00 4 00	30 00
Ipomoea pandurata	1 25	. 00	
Iris cristata. Clumps	1 00	7 00	50 00
lacustris	75	5 00	

HARDY HERBACEOUS PERENNIALS, continued

	er 1	0 100	1,000
Iris missouriensis. Strong	31 00	\$8 00	
pseudacorus. Clumpsverna. Clumps	75		\$40.00
verna. Clumpsversicolor. Clumps	75		\$40 00
Lacinaria (Liatris) pilosa. Strong	1 00		
pycnostachya	7	6 00	
spicata	60		
spicata pumilasquarrosa	1 0		
Leptandra virginica	1 0		
Leucocrinum montanum	2 0		
Liatris. See Lacinaria.	- 0.		
Lilium bolanderi	5 00	35 00	
canadense, var. flava. 2d size	50		25 00
1st size	7		40 00
canadense, var. rubra	1 00		60 00 25 00
carolinianum. 3d size	75		40 00
1st size	1 0	8 00	65 00
columbianum	2 0		45 00
grayi. 2d size	1 2		45 00 70 00
humboldtii. 7 to 8 in. cir	2 0		110 00
8 to 9 in. cir	2 5	18 00	130 00
9 in. and over	5 0		
humboldtii, var. magnificum	5 0		and the
humboldtii, var. bloomerianumkellogmii	3 0 5 0		
maritimum	3 0		
pardalinum. 1 eye	1 2		50 00
2 eyes pardalinum, var. johnsonii	1 50		
parryii. Medium	5 0		
Large	7 0	0 50 00	
parviflorum	3 0		
parvum. Good	5 0		
parvum, var. luteum	1 7	5 12 00	
philadelphicum	2 5		40 00
roezliirubescens	2 5 0		
superbum. 1st size	7	5 5 00	40 00
2d size	5		25 00
	3	0 1 50	10 00
3d sizewashingtonianum, var. purpureum.			
washingtonianum, var. purpureum. 7 to 8 in	2 00		11.0 00
washingtonianum, var. purpureum. 7 to 8 in	3 0	20 00	11.0 00 130 00
washingtonianum, var. purpureum. 7 to 8 in. 8 to 9 in. 9 to 15 in.	3 00 5 00	20 00 0 35 00	
washingtonianum, var. purpureum. 7 to 8 in	3 00 5 00 1 0	20 00 0 35 00 0 7 00	
washingtonianum, var. purpureum. 7 to 8 in 8 to 9 in 9 to 15 in Limodorum (Calopogon) tuberosum Lobelia cardinalis, syphilitica	3 00 5 00 1 00 7	20 00 0 35 00 0 7 00 5 5 00	
washingtonianum, var. purpureum. 7 to 8 in	3 00 5 00 1 00 7	20 00 0 35 00 0 7 00 5 5 00	
washingtonianum, var. purpureum. 7 to 8in	3 00 5 00 1 00 7: 7:	20 00 0 35 00 0 7 00 5 5 00 5 5 00	
washingtonianum, var. purpureum. 7 to 8 in	3 00 5 00 1 00 7: 7: 7: 50	20 00 0 35 00 0 7 00 5 5 00 5 5 00 0 4 00	
washingtonianum, var. purpureum. 7 to 8 in. 8 to 9 in. 9 to 15 in. Limodorum (Calopogon) tuberosum. Lobelia cardinalis, syphilitica. Medeola virginicum. Melanthium parvillorum, virginicum Menispermum canadense. Moonseed. Mertensia virginica.	3 00 5 00 1 00 7: 7: 7: 50 1 00	0 20 00 0 35 00 0 7 00 5 5 00 5 5 00 0 4 00 0 8 00	
washingtonianum, var. purpureum. 7 to 8 in 8 to 9 in 9 to 15 in. Limodorum (Calopogon) tuberosum Lobelia cardinalis, syphilitica Medeola virginicum. Melanthium parvillorum, virginicum Menispermum canadense. Moonseed Mertensia virginica Mitchella repens. Est. Cl	3 00 5 00 1 00 7: 7: 7: 50	0 20 00 0 35 00 0 7 00 5 5 00 5 5 00 0 4 00 0 8 00 5 10 00	130 00
washingtonianum, var. purpureum. 7 to 8 in. 8 to 9 in. 9 to 15 in. Limodorum (Calopogon) tuberosum. Lobelia cardinalis, syphilitica. Medeola virginicum Melanthium parviflorum, virginicum Menispermum canadense. Moonseed. Mertensia virginica Mitchella repens. Est Cl. Col. Cl.	3 00 5 00 1 00 7: 7: 7: 50 1 00 1 28 7:	0 20 00 0 35 00 0 7 00 5 5 00 5 5 00 0 4 00 0 8 00 5 00 5 5 00	
washingtonianum, var. purpureum. 7 to 8 in 8 to 9 in 9 to 15 in. Limodorum (Calopogon) tuberosum Lobelia cardinalis, syphilitica Medeola virginicum. Melanthium parvillorum, virginicum Menispermum canadense. Moonseed Mertensia virginica Mitchella repens. Est. Cl	3 00 5 00 1 00 7: 7: 7: 50 1 00 1 25 7:	0 20 00 0 35 00 0 7 00 5 5 00 5 5 00 0 4 00 0 8 00 0 8 00 0 6 00	130 00
washingtonianum, var. purpureum. 7 to 8 in. 8 to 9 in. 9 to 15 in. Limodorum (Calopogon) tuberosum. Lobelia cardinalis, syphilitica. Medeola virginicum Melanthium parviflorum, virginicum Menispermum canadense. Moonseed. Mertensia virginica Mitchella repens. Est. Cl. Col. Cl. Monarda didyma In var.	3 00 5 00 1 00 7: 7: 50 1 00 1 28 7:	0 20 00 0 35 00 0 7 00 5 5 00 5 5 00 0 4 00 0 8 00 0 8 00 0 6 00 0 6 00	130 00
washingtonianum, var. purpureum. 7 to 8 in. 8 to 9 in. 9 to 15 in. Limodorum (Calopogon) tuberosum. Lobelia cardinalis, syphilitica. Medeola virginicum. Menispermum canadense. Moonseed. Mertensia virginica. Mitchella repens. Est. Cl. Col. Cl. Monarda didyma	3 00 5 00 1 00 7: 7: 50 1 00 1 25 7: 1 00	0 20 00 0 35 00 7 00 5 5 00 5 5 00 6 0 4 00 6 00 6 00 6 00 6 00	130 00
washingtonianum, var. purpureum. 7 to 8 in. 8 to 9 in. 9 to 15 in. Limodorum (Calopogon) tuberosum. Lobelia cardinalis, syphilitica. Medeola virginicum. Melanthium parviflorum, virginicum. Menispermum canadense. Moonseed. Mertensia virginica. Mitchella repens. Est. Cl. Col. Cl. Monarda didyma In var. Nuphar advena Onoclea sensibilis.	3 00 5 00 1 00 7: 7: 50 1 00 1 25 7: 1 00 1 00 1 50	20 00 35 00 7 00 5 5 00 5 5 00 6 4 00 0 8 00 10 00	130 00
washingtonianum, var. purpureum. 7 to 8 in 8 to 9 in 9 to 15 in. Limodorum (Calopogon) tuberosum. Lobelia cardinalis, syphilitica. Medeola virginicum. Melanthium parviflorum, virginicum. Menispermum canadense. Moonseed. Mertensia virginica. Mitchella repens. Est. Cl. Col. Cl. Monarda didyma In var. Nuphar advena Onoclea sensibilis. Orchis spectabilis.	3 005 5 00 1 00 77 50 1 00 1 22 7 1 00 1 00 1 50	20 00 0 35 00 0 35 00 0 0 5 5 5 00 0 0 0	130 00
washingtonianum, var. purpureum. 7 to 8 in. 8 to 9 in. 9 to 15 in. Limodorum (Calopogon) tuberosum. Lobelia cardinalis, syphilitica. Medeola virginicum. Melanthium parviflorum, virginicum. Menispermum canadense. Moonseed. Mertensia virginica. Mitchella repens. Est. Cl. Col. Cl. Monarda didyma In var. Nuphar advena Onoclea sensibilis. Orchis spectabilis. Orontium aquaticum. Golden Club.	3 000 5 000 5 000 7 7 7 7 7 7 7 7 7 7 7 7	20 00 0 35 00 0 35 00 0 0 5 5 5 00 0 0 0	130 00
washingtonianum, var. purpureum. 7 to 8 in. 8 to 9 in. 9 to 15 in. Limodorum (Calopogon) tuberosum. Lobelia cardinalis, syphilitica. Medeola virginicum. Melanthium parviflorum, virginicum. Menispermum canadense. Moonseed. Mertensia virginica. Mitchella repens. Est. Cl. Col. Cl. Monarda didyma In var. Nuphar advena Onoclea sensibilis. Orchis spectabilis. Orontium aquaticum. Golden Club.	3 000 5 001 1 00 7: 7: 50 1 001 1 2: 7: 1 00 1 5: 7: 1 5: 1 5: 1 5: 1 5:	20 00 35 00 0 7 00 7 00 6 5 5 00 6 00 6 00 0 6 00 0 6 00 0 6 00 0 6 00 0 6 00 0 6 00 0 6 00 0 6 00 0 0 6 00 0 0 6 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	130 00
washingtonianum, var. purpureum. 7 to 8 in. 8 to 9 in. 9 to 15 in. Limodorum (Calopogon) tuberosum. Lobelia cardinalis, syphilitica. Medeola virginicum. Melanthium parviflorum, virginicum. Menispermum canadense. Moonseed. Mertensia virginica. Mitchella repens. Est. Cl. Col. Cl. Monarda didyma In var. Nuphar advena Onoclea sensibilis. Orchis spectabilis. Orontium aquaticum. Golden Club. Osmunda cinnamomea, claytoniana,	3 000 5 001 1 00 7: 7: 50 1 001 1 2: 7: 1 00 1 5: 7: 1 5: 1 5: 1 5: 1 5:	20 00 35 00 0 7 00 7 00 6 5 5 00 6 00 6 00 0 6 00 0 6 00 0 6 00 0 6 00 0 6 00 0 6 00 0 6 00 0 6 00 0 0 6 00 0 0 6 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	130 00
washingtonianum, var. purpureum. 7 to 8 in. 8 to 9 in. 9 to 15 in. Limodorum (Calopogon) tuberosum. Lobelia cardinalis, syphilitica. Medeola virginicum. Melanthium parviflorum, virginicum. Menispermum canadense. Moonseed. Mitchella repens. Est. Cl. Col. Cl. Monarda didyma In var. Nuphar advena Onoclea sensibilis. Orchis spectabilis. Orontium aquaticum. Golden Club. Osmunda cinnamomea, claytoniana, regalis.	3 00 5 00 1 00 7, 7, 50 1 00 1 25 7, 1 00 1 50 7, 1 50 1 23 1 50	20 00 0 35 00 0 7 00 0 6 00 0 7 00 0 7 00	130 00
washingtonianum, var. purpureum. 7 to 8 in	3 000 5 00 1 00 77 55 1 00 1 20 77 1 00 1 50 73 1 50 1 50 1 20 4 00	20 00 0 20 00 0 35 00 0 7 00 0 0 6 00 0 0 7 00 0 0 7 00 0 0 0	130 00
washingtonianum, var. purpureum. 7 to 8 in. 8 to 9 in. 9 to 15 in. Limodorum (Calopogon) tuberosum. Lobelia cardinalis, syphilitica. Medeola virginicum Melanthium parviflorum, virginicum Menispermum canadense. Moonseed. Mertensia virginica Mitchella repens. Est. Cl. Col. Cl. Monarda didyma In var. Nuphar advena Onoclea sensibilis. Orchis spectabilis. Orontium aquaticum. Golden Club Osmunda cinnamomea, claytoniana, regalis Oxycoccus macrocarpon. See Vaccinium. Panax (Aralia) quinquefolium, Ginseng. XX size X size.	3 000 5 00 1 00 73 55 56 1 00 1 22 71 00 1 50 71 50 1 50 1 20 1 00 4 00 2 50	20 20 00 0 35 00 0 7 00 0 10 0 10 0 0 7 00 0 0 0 7 00 0 0 0	130 00
washingtonianum, var. purpureum. 7 to 8 in	3 000 5 00 1 00 73 55 56 1 00 1 22 71 00 1 50 71 50 1 50 1 20 1 00 4 00 2 50	20 20 00 0 35 00 0 7 00 0 11 00 0 7 00 0 7 00 0 7 00 0 7 00 0 7 00 0 7 00 0 7 00 0 7 00 0 7 00 0 7 00 0 15 0 15	40 00 40 00
washingtonianum, var. purpureum. 7 to 8 in. 8 to 9 in. 9 to 15 in. Limodorum (Calopogon) tuberosum. Lobelia cardinalis, syphilitica. Medeola virginicum. Melanthium parviflorum, virginicum Menispermum canadense. Moonseed. Mitchella repens. Est. Cl. Col. Cl. Monarda didyma In var. Nuphar advena Onoclea sensibilis. Orchis spectabilis. Orontium aquaticum. Golden Club Osmunda cinnamomea, claytoniana, regalis Oxycoccus macrocarpon. See Vaccinium. Panax (Aralia) quinquefolium, Ginseng. XX size 1st size 2d size 3d size 3d size	3 000 5 00 1 00 75 75 50 1 00 1 50 75 1 50 1 25 1 00 4 00 2 55 1 50	20 20 00 0 35 00 0 0 7 00 0 5 5 0 0 0 6 00 0 6 00 0 6 00 0 0 7 00 0 0 0	130 00
washingtonianum, var. purpureum. 7 to 8 in	3 00 5 00 1 00 73 55 1 00 1 29 7 1 00 1 50 7 1 50 1 50 1 50 1 25 1 00	20 20 00 0 35 00 0 0 7 00 0 5 5 0 0 0 6 00 0 6 00 0 6 00 0 0 7 00 0 0 0	40 00 40 00
washingtonianum, var. purpureum. 7 to 8 in. 8 to 9 in. 9 to 15 in. Limodorum (Calopogon) tuberosum. Lobelia cardinalis, syphilitica. Medeola virginicum. Melanthium parviflorum, virginicum Menispermum canadense. Moonseed. Mitchella repens. Est. Cl. Col. Cl. Monarda didyma In var. Nuphar advena Onoclea sensibilis. Orchis spectabilis. Orontium aquaticum. Golden Club Osmunda cinnamomea, claytoniana, regalis Oxycoccus macrocarpon. See Vaccinium. Panax (Aralia) quinquefolium, Ginseng. XX size 1st size 2d size 3d size 3d size	3 00 5 00 1 00 73 56 1 00 1 25 73 1 50 1 50 73 1 50 1 23 1 00 4 00 2 50 1 100 6 6	20 20 00 0 35 00 0 0 7 00 0 12 50 00 0 12 50 00 0 12 55	40 00 40 00


HARDY HERBACEOUS PERENNIALS, continued

P	er 10	100	1,000
Phlox maculata. Clumps	81 00		1,000
subulata alba. Clumps	1 25	\$10 00	
Physostegia virginiana	50	4 00	\$30 00
Podophyllum peltatum	50	4 00	3 0 00
Polygonatum biflorum	50	4 00 6 00	50 00
2 yr. S	75 50	4 00	25 00
Polygonum eilinode	50	3 00	20 00
Polypodium vulgare. Col	50	4 00	25 00
Porteranthus (Gillenia) stipulatus	75	6 00	45 00
Potentilla tridentata. Clumps	75	6 00	45 00
Pteris aquilina	50	4 00	20 00
Pyrola rotundifolia. Col	1 00	8 00	
Rhexia virginica	75	6 00	45 00
Sagittaria latifolia	50	3 00	
Sanguinaria canadensis, Bloodroot. Strong	60	4 00	20 00
Sanguinaria is shipped entirely at consign	ee's r	isk	
Sarracenia catesbaei, drummondii, flava,		40.00	
psittacina, purpurea, rubra	1 50	12 00	
Saxifraga micranthidifolia, michauxii	1 00	6 00	
Scrophularia marylandica	1 50	0.00	
Sedum telephioides. Strongternatum. Col	75 50	6 00 4 00	
Shortia galacifolia. 1st size	3 00	25 00	
2d size	1 50	12 00	90 00
Silene stellata	75	5 00	
virginica	1 00	8 00	
Solidago canadensis, bootii, bicolor, erecta, glomerata, nemerocalis, odora,			
patula, pallida, pubens, ru-			
gosa, rupestris	75	5 00	
Sparganium ramosum	50	2 00	
Spigelia marylandica	2 00	15 00	
Stachys aspera	60	4 00	
Steironema ciliatum	60	4 00	
Stenanthium robustum. Mt. Feather Fleece.			
The finest new hardy perennial. In- troduced by Highlands Nursery. Send			
for special circular.	-		
1-yr. S	50 1 00	4 00 7 00	30 00 50 00
2d size	1 50	12 00	00 00
1st size	2 50	20 00	
Stokesia cyanea	75	6 00	
Thalictrum dioicum	60	4 00	
Thermopsis caroliniana montana. 1-yr. S	1 00 1 50	8 00	
rhombifolia, 1-yr. S	1 50		
Therofon aconitifolia. Clumps	50	4 00	
Tradescantia montana	75	5 00	
Trautvetteria carolinensis	50	4 00	
Trillium cernuum	. 75	5 00	*0 *0
erectum. Erect Wake Robin. Light	30 50	$\frac{2}{3} \frac{00}{00}$	$\frac{12}{20} \frac{50}{00}$
erectum album. Light	60	4 50	30 00
Strong	1 00 20	7 00	8 00
grandiflorum. Light	40	1 00 2 50	15 00
ovatum	50	3 50	25 00
nivale	1 00	8 00	
recurvatum	75	5 00	40.00
sessile, var. californicum	80	6 00 6 00	40 00 40 00
sessile, var. Snow Queenstylosum. Light	40	2 50	40 00
Strong	75	5 00	30 00
undulatum	60	4 00	30 00
Triosteum perfoliatum	50	4 00	
Typha angustifolia	2 00	0.00	
latifolia	1 00	8 00	
Unifolium canadense	50	4 00	

HARDY HEBACEOUS PERENNIALS, continued Per 10 100 1.000 \$5 00 8 00 5 00 Uvularia perfoliata..... Vagneria racemosa. Strong..... 5 00 75 Veratrum viride. Strong..... 75 5 00 Vinca minor. Col..... 4 00 \$30 00 Vernonia novaboracensis. Col................ 1 00 7 00 Veronica officinalis and serpyllifolia...... 4 00 Viola canadensis, hastata, pedata 75 pedata bicolor 1 50 sagittata 1 00 5 (0 12 00 7 00 Woodwardia virginica 1 00 Yucca filamentosa ... icca filamentosa 75 filamentosa, var. concava. Strong Cl. 20 flaccida. Light. 50 Clumps. 1 00 glauca. Strong 1 00 5 00 16 00 18 00 3 00 8 00 8 00 Xerophyllum asphodeloides. Clumps....... 1 25 10 00

Always Address

HARLAN P. KELSEY, Owner, SALEM, MASS.



The hardiest Hybrid Rhododendrons, growing at Salem Branch Nursery